Northwest Science
Volume 61 (1987)
Author and Subject Index

(Author headings are in capital letters)

Abies *see* firs
ADAMS, A. B., V. H. DALE, E. P. SMITH, and A. R. KRUCKEBERG. Plant survival, growth form and regeneration following the 18 May 1980 eruption of Mount St. Helens, Washington. 160-170
age estimations
of brook trout: Kozel and Hubert, 216-219
of cutthroat trout: Hubert, Baxter and Harrington, 32-36
of glacial deposits: Mahaney, 13-19
ALLEN, D. W. *see* Cox and Allen, 179-185
Alvord Desert, Or
grasses and fungi: Ho, 148-151
ANDERSON, R. J. *see* Duncan, Ward and Anderson, 152-159
ANTHONY, R. G. *see* Isaacs and Anthony, 114-121
ANTOS, J. A. *see* Zobel and Antos, 20-22
ARCHIBALD, R. *see* Ritchie, Harestad and Archibald, 199-202
Arid Lands Ecology Reserve, Wa
elk habitat: McCorquodale, 171-173
arthropods
in tundra: Norment, 191-198
ash (trees)
Oregon (*Fraxinus latifolia*) forests: Frenkel and Heinitz, 203-212
ash
forest fires and seed germination: Woodard and Cummins, 233-238
volcanic and plant survival: Zobel and Antos, 20-22

BAUER, M. R. *see* Manuwal, Huff, Bauer, Chappell and Hegstad, 82-92
BAXTER, G. T. *see* Hubert, Baxter and Harrington, 32-36
birds
and arthropods: Norment, 191-198
bald eagles in Oregon: Isaacs and Anthony, 114-121
bald eagles in Washington: Fielder and Starkey, 226-232
harlequin ducks: Gaines, 213-215
and Idaho Tax Checkoff Program: Newton, Reese and Melquist, 50-54
of subalpine zone: Manuwal, Huff, Bauer, Chappell and Hegstad, 82-92
wild turkey roosts: Lutz and Crawford, 174-178
bison
(*Bison bison*) distribution: Van Vuren, 65-69
Bos *see* cattle
BOWDEN, D.C. *see* Kufeld, Bowden and Siperek, 249-256
BUNTING, S. C. *see* Mosley, Wester and Bunting, 55-59
BUSACCA, A. J. *see* Roché and Busacca, 139-147

Calispel Peak, Wa
grassland plant communities: Roché and Busacca, 139-147
Callianassa *see* shrimp
cattle
and elk forage: Dragt and Havstad, 70-73
and slope use: Garskopp and Vavra, 74-81
cedars
western red—(*Thuja plicata*) growth: Parker and Johnson, 7-12
Cervus *see* elk
CHAPPELL, C. B. *see* Manuwal, Huff, Bauer, Chappell and Hegstad, 82-92
checkermallows
Nelson's (*Sidalcea nelsoniana*) habitat: Glad, Mishaga and Halse, 257-263
Columbia Plateau, Wa
stone nets: Cox and Allen, 179-185
Columbia River
sockeye salmon migration: Peven, 186-190
conifers
and fungi: Hamm and Hansen, 103-109
seed germination on ash: Woodard and Cummins, 233-238
see also cedars, douglas-firs, firs, junipers, pines, spruce
COX, G. W. and D. W. ALLEN. Sorted stone nets and circles of the Columbia Plateau: a hypothesis. 179-185
CRAWFORD, J. A. *see* Lutz and Crawford, 174-178
Crotalus *see* rattlesnakes
CUMMINS, G. *see* Woodard and Cummins, 233-238
Cupressaceae *see* cedars, junipers

DALE, V. H. *see* Adams, Dale, Smith and Kruckeberg, 160-170
deer
and fruit orchards: Sullivan, Krebs and Kluge, 23-31
mule (*Odocoileus hemionus*) and slopes: Ganskopp and Vavra, 74-81
DOESCHER, P. S., L. E. EDDLEMAN and M. R. VAITKUS. Evaluation of soil nutrients, pH, and organic matter in rangelands dominated by western juniper. 97-102
douglas-firs
(*Pseudotsuga menziesii*) and fumigant injections: Thies and Nelson, 60-64
DRAGT, W. J. and K. M. HAVSTAD. Effects of cattle grazing upon chemical constituents within important forages for elk. 70-73
ducks
harlequin (*Histrionicus histrionicus*) winter diet: Gaines, 213-215
DUNCAN, S. H., J. W. WARD and R. J. ANDERSON. A method for assessing landslide potential as an aid in forest road placement. 152-159

eagles
bald (*Haliaeetus leucocephalus*) in Oregon: Isaacs and Anthony, 114-121
bald (*H. leucocephalus*) in Washington: Fielder and Starkey, 226-232
EDDLEMAN, L. E. *see* Doescher, Eddleman and Vaitkus, 97-102
elk
Rocky Mountain (*Cervus elaphus nelsoni*) forage: Dragt and Havstad, 70-73

Rocky Mountain (*C. elaphus nelsoni*) habitat use: McCorquodale, 171-173
Rocky Mountain (*C. elaphus nelsoni*) in orchards: Sullivan, Krebs and Kluge, 23-31
Roosevelt (*C. elaphus roosevelti*) in forests: Houston, Moorhead and Olson, 220-225
Equus *see* horses

FIELDER, P. C. and R. G. STARKEY. Bald eagle winter abundance and distribution in eastern Washington. 226-232
firs
subalpine (*Abies lasiocarpa*) germination: Woodard and Cummins, 233-238
fish
arctic grayling: Liknes and Gould, 122-129
brook trout age estimation: Kozel and Hubert, 216-219
bull trout development: Gould, 264-268
cutthroat trout age estimation: Hubert, Baxter and Harrington, 32-36
and Idaho Tax Checkoff Program: Newton, Reese and Melquist, 50-54
sockeye salmon migration: Peven, 186-190
forage
for elk: Dragt and Havstad, 70-73
forests
Engelmann spruce seed dispersal: McCaughey and Schmidt, 1-6
and fumigants: Thies and Nelson, 60-64
herbicides and mice: Ritchie, Harestad and Archibald, 199-202
of Oregon ash: Frenkel and Heinitz, 203-212
roads and landslides: Duncan, Ward and Anderson, 152-159
seed germination after fire: Woodard and Cummins, 233-238
western redcedar growth: Parker and Johnson, 7-12
Fraxinus *see* ash
FRENKEL, R. E. and E. F. HEINITZ. Composition and structure of Oregon ash (*Fraxinus latifolia*) forest in William L. Finley National Wildlife Refuge, Oregon. 203-212
frequency sampling
and vegetation: Mosley, Wester and Bunting, 55-59
fumigants
and douglas-firs: Thies and Nelson, 60-64
fungi
and conifers: Hamm and Hansen, 103-109
and grasses: Ho, 148-151

GAINES, W. L. Winter diet of the harlequin duck at Sequim Bay, Puget Sound, Washington. 213-215
GANSKOPP, D. and M. VAVRA. Slope use by cattle, feral horses, deer, and bighorn sheep. 74-81
GLAD, J. B., R. MISHAGA and R. R. HALSE. Habitat characteristics of *Sidalcea nelsoniana* Piper (Malvaceae) at Walker Flat, Yamhill County, Oregon. 257-263
glyphosate herbicide
and mice: Ritchie, Harestad and Archibald. 199-202
gophers
and orchards: Sullivan, Krebs and Kluge, 23-31
GOULD, W. R. Features in the early development of bull trout (*Salvelinus confluentus*). 264-268
GOULD, W. R. *see* Liknes and Gould, 122-129
grasses
and fungi: Ho, 148-151
and soil: Roché and Busacca, 139-147
grayling
arctic (*Thymallus arcticus*) distribution: Liknes and Gould, 122-129

Haliaeetus *see* eagles
HALSE, R. R. *see* Glad, Mishaga and Halse, 257-263
HAMM, P. B. and E. M. HANSEN. Identification of *Phytophthora* spp known to attack conifers in the Pacific Northwest. 103-109
HANSEN, E. M. *see* Hamm and Hansen, 103-109
HARESTAD, A. S. *see* Ritchie, Harestad and Archibald, 199-202
Harney Basin, Or
bald eagles: Issacs and Anthony, 114-121
HARRINGTON, M. *see* Hubert, Baxter and Harrington, 32-36
HAVSTAD, K. M. *see* Dragt and Havstad, 70-73
HEGSTAD, K. *see* Manuwal, Huff, Bauer, Chappell and Hegstad, 82-92
HEINITZ, E. F. *see* Frenkel and Heinitz, 203-212
hellebores
American false (*Veratrum viride*) in ash: Zobel and Antos, 20-22
herbicides
glyphosate and mice: Ritchie, Harestad and Archibald, 199-202
herbivores
and slopes: Ganskopp and Vavra, 74-81
Histrionicus *see* ducks
HO, I. Vesicular-arbuscular mycorrhizae of halophytic grasses in the Alvord Desert of Oregon. 148-151
HOLMES, R. N. Population monitoring of *Phacelia verna*: a federal candidate species. 44-49
horses
(*Equus caballus*) and slope use: Ganskopp and Vavra, 74-81
HOUSTON, D. B., B. B. MOORHEAD and R. W. OLSON. Roosevelt elk density in old-growth forests of Olympic National Park. 220-225
HUBERT, W. A., G. T. BAXTER and M. HARRINGTON. Comparison of age determinations based on scales, otoliths and fin rays for cutthroat trout from Yellowstone Lake. 32-36
HUBERT, W. A. *see* Kozel and Hubert, 216-219
HUFF, M. A. *see* Manuwal, Huff, Bauer, Chappell and Hegstad, 82-92
Hydrophyllaceae *see* *Phacelia*

Idaho
Income Tax Checkoff Program: Newton, Reese and Melquist, 50-54
tillage and rodents: Johnson, 37-40
ISAACS, F. B. and R. G. ANTHONY. Abundance, foraging, and roosting of bald eagles wintering in the Harney Basin, Oregon. 114-121

JOHNSON, D. R. Effect of alternative tillage systems on rodent density in the Palouse region. 37-40
JOHNSON, E. K. Stability of venoms from the Northern Pacific rattlesnake (*Crotalus viridis oreganus*). 110-113
JOHNSON, F. D. *see* Parker and Johnson, 7-12
junipers
western (*Juniperus occidentalis*) in rangelands: Doescher, Eddleman and Vaitkus, 97-102

KLINE, L. and B. MCCUNE. Factors influencing the distribution of *Wolffia columbiana* and *Wolffia punctata* (Lemnaceae). 41-43
KLUGE, H. A. *see* Sullivan, Krebs and Kluge, 23-31
KOZEL, S. J. and W. A. HUBERT. Age estimates of brook trout from high-elevation Rocky Mountain streams using scales and otoliths. 216-219
KREBS, J.A. *see* Sullivan, Krebs and Kluge, 23-31
KRUCKEBERG, A.R. *see* Adams, Dale, Smith and Kruckeberg, 160-170
KUFELD, R. C., D. C. BOWDEN and J. M. SIPEREK, Jr. Evaluation of a telemetry system for measuring habitat usage in mountainous terrain. 249-256

landslides
and roads: Duncan, Ward and Anderson. 152-159
Lemnaceae *see* *Wolffia*
lichens
Rhizocarpon geographicum growth curve: Mahaney, 13-19
LIKNES, G. A. and W. R. GOULD. The distribution, habitat, and population characteristics of fluvial arctic grayling (*Thymallus arcticus*) in Montana. 122-129
Liliaceae *see* *Veratrum*
lotteries, state
the odds: Saunders and Moody, 239-248
LUTZ, R. S. and J. A. CRAWFORD. Seasonal use of roost sites by Merriam's wild turkey hens and hen-poult flocks in Oregon. 174-178

MCCAUGHEY, W. W. and W. C. SCHMIDT. Seed dispersal of Engelmann spruce in the intermountain west. 1-6
MCCORQUODALE, S. M. Fall-winter habitat use by elk in the shrub-steppe of Washington. 171-173
MCCUNE, B. *see* Kline and McCune, 41-43
MAHANEY, W. C. Tentative growth curve for *Rhizocarpon geographicum s.l.* in Stroud Basin, Wind River Range, western Wyoming. 13-19
Malvaceae *see* checkermallows
mammals
bison distribution: Van Vuren, 65-69
cattle and elk interaction: Dragt and Havstad, 70-73
and Idaho Tax Checkoff: Newton, Reese and Melquist, 50-54
and orchard damage: Sullivan, Krebs and Kluge, 23-31
Roosevelt elk density: Houston, Moorhead and Olson, 220-225
and slope use: Ganskopp and Vavra, 74-81
MANUWAL, D. A., M. A. HUFF, M. R. BAUER, C. B. CHAPPELL and K. HEGSTAD. Summer birds of the upper subalpine zone of Mount Adams, Mount Rainier, and Mount St. Helens, Washington. 82-92
Meleagris *see* turkeys
MELQUIST, W. E. *see* Newton, Reese and Melquist, 50-54
mice
deer (*Peromyscus maniculatus*) and herbicides: Ritchie, Harestad and Archibald, 199-202
deer (*P. maniculatus*) and tillage: Johnson, 37-40
Microtus *see* voles
MINTON, S. A. Poisonous snakes and snakebite in the U.S.: a brief review. 130-137
MISHAGA, R. *see* Glad, Mishaga and Halse, 257-263
Montana
arctic grayling population: Liknes and Gould, 122-129
Wolffia sp distribution: Kline and McCune, 41-43
MOODY, M.E. *see* Saunders and Moody, 239-248
MOORHEAD, B. B. *see* Houston, Moorhead and Olson, 220-225
MOSLEY, J.C., D. B. WESTER and S. C. BUNTING. Estimating herbaceous yield from species frequency. 55-59
Mount Adams, Wa
birds: Manuwal, Huff, Bauer, Chappell and Hegstad, 82-92
Mount Rainier, Wa
birds: Manuwal, Huff, Bauer, Chappell and Hegstad, 82-92
Mount St. Helens, Wa
birds: Manuwal, Huff, Bauer, Chappell and Hegstad, 82-92
plant regeneration: Adams, Dale, Smith and Kruckeberg, 160-170
plant survival: Zobel and Antos, 20-22

NELSON, E. E. *see* Thies and Nelson, 60-64
NEWTON, R. B., K. P. REESE and W. E. MELQUIST. Northern Idaho citizens survey on nongame wildlife and Idaho Income Tax Checkoff Program. 50-54
NORMENT, C. J. A comparison of three methods for measuring arthropod abundance in tundra habitats and its implications in avian ecology. 191-198

Odocoileus *see* deer
Okanagan Valley, B.C.
mammals and orchards: Sullivan, Krebs and Kluge, 23-31
OLSON, R. W. *see* Houston, Moorhead and Olson, 220-225
Olympic National Park, Wa
elk density: Houston, Moorhead and Olson, 220-225
Oncorhynchus *see* salmon
orchards
and mammal damage: Sullivan, Krebs and Kluge, 23-31
Oregon
bald eagles: Isaacs and Anthony, 114-121
checkermallow habitats: Glad, Mishaga and Halse, 257-263
grasses and fungi: Ho, 148-151
junipers: Doescher, Eddleman and Vaitkus, 97-102
Oregon ash: Frenkel and Heinitz, 203-212
wild turkey roosts: Lutz and Crawford, 174-178
Ovis *see* sheep

Palouse region, Wa and Id
tillage and rodent density: Johnson, 37-40
PARKER, T. and F. D. JOHNSON. Branching and terminal growth of western redcedar. 7-12
Peromyscus *see* mice
PEVEN, C. M. Downstream migration timing of two stocks of sockeye salmon on the mid-Columbia River. 186-190
Phacelia verna
population monitoring: Holmes, 44-49
Phellinus weirii
and douglas-fir: Thies and Nelson, 60-64
Phytophthora sp
and conifers: Hamm and Hansen, 103-109
Picea *see* spruce
Pinaceae *see* douglas-firs, firs, pines, spruce
pines
lodgepole (*Pinus contorta*) germination: Woodard and Cummins, 233-238
Pinus *see* pines
plant communities
and cattle grazing: Dragt and Havstad, 70-73
herbaceous yield: Mosley, Wester and Bunting, 55-59
and junipers: Doescher, Eddleman and Vaitkus, 97-102
of Oregon ash: Frenkel and Heinitz, 203-212
subalpine grassland: Roché and Busacca, 139-147
survival under ash: Zobel and Antos, 20-22
and volcanic eruptions: Adams, Dale, Smith and Kruckeberg, 160-170

plant distributions
of Nelson's checkermallow: Glad, Mishaga and Halse, 257-263
of *Phacelia verna:* Holmes, 44-49
of *Wolffia* sp: Kline and McCune, 41-43
POSEY, M. H. Effects of lowered salinity on activity of the ghost shrimp *Callianassa californiensis.* 93-96
Pseudotsuga *see* douglas-firs

rattlesnakes
northern Pacific (*Crotalus viridis oreganus*) venom: Johnson, 110-113
redcedars *see* cedars
REESE, K. P. *see* Newton, Reese and Melquist, 50-54
reptiles
and Idaho Tax Checkoff: Newton, Reese and Melquist, 50-54
see also snakes
Rhizocarpon geographicum
growth curve: Mahaney, 13-19
RITCHIE, D.C., A. S. HARESTAD and R. ARCHIBALD. Glyphosate treatment and deer mice in clearcut and forest. 199-202
roads
and landslides: Duncan, Ward and Anderson, 152-159
ROCHÉ, C. J. T. and A. J. BUSACCA. Soil-vegetation relationships in a subalpine grassland in northeastern Washington. 139-147
rodents
and alternative tillage: Johnson, 37-40
see also gophers, mice, voles

salinity
and ghost shrimp: Posey, 93-96
Salmo *see* trout
salmon
sockeye (*Oncorhynchus nerka*) migration: Peven, 186-190
salt tolerance
and ghost shrimp: Posey, 93-96
and grasses: Ho, 148-151
Salvelius *see* trout
SAUNDERS, S. C. and M. E. MOODY. Great expectations: or playing the odds in the state lotteries. 239-248
SCHMIDT, W. C. *see* McCaughey and Schmidt, 1-6
Sequim Bay, Wa
harlequin ducks: Gaines, 213-215
sheep
California bighorn (*Ovis canadensis californiana*) and slopes: Ganskopp and Vavra, 74-81
shrimp
ghost (*Callianassa californiensis*) and salinity: Posey, 93-96
Sidalcea *see* checkermallows
SIPEREK, J. M., Jr. *see* Kufeld, Bowden and Siperek, 249-256
slopes
and herbivores: Ganskopp and Vavra, 74-81
and roads: Duncan, Ward and Anderson, 152-159
SMITH, E. P. *see* Adams, Dale, Smith and Kruckeberg, 160-170
snakes
rattlesnake venom: Johnson, 110-113
and snakebites: Minton, 130-137
soils
and western juniper: Doescher, Eddleman and Vaitkus, 97-102

spruce
Engelmann (*Picea engelmannii*) germination: Woodard and Cummins, 233-238
Engelmann (*P. engelmannii*) seed dispersal: McCaughey and Schmidt, 1-6
STARKEY, R. G. *see* Fielder and Starkey, 226-232
stone nets
on Columbia Plateau: Cox and Allen, 179-185
SULLIVAN, T. P., J. A. KREBS and H. A. KLUGE. Survey of mammal damage to tree fruit orchards in the Okanagan Valley of British Columbia. 23-31.

telemetry
and habitat usage: Kufeld, Bowden and Siperek, 249-256
tephra
volcanic and plant survival: Zobel and Antos, 20-22
THIES, W. G. and E. E. NELSON. Survival of douglas-fir injected with the fumigants chloropicrin, methylisothiocyanate or Vorlex. 60-64
Thomomys *see* gophers
Thuja *see* cedars
Thymallus *see* grayling
tillage
and rodent density: Johnson, 37-40
trout
brook (*Salvelinus fontinalis*) age estimation: Kozel and Hubert, 216-219
bull (*Salvelinus confluentus*) development: Gould, 264-268
cutthroat (*Salmo clarki*) age estimation: Hubert, Baxter and Harrington, 32-36
tundra
and arthropods: Norment, 191-198
turkeys
Merriam's wild (*Meleagris gallopavo merriami*) roosts: Lutz and Crawford, 174-178

VAITKUS, M. R. *see* Doescher, Eddleman and Vaitkus, 97-102
VAN VUREN, D. Bison west of the Rocky Mountains: an alternative explanation. 65-69
VAVRA, M. *see* Ganskopp and Vavra, 74-81
venom
from rattlesnakes: Johnson, 110-113
and snakebites: Minton, 130-137
Veratrum viride
and ash burial: Zobel and Antos, 20-22
volcanic eruptions
and plant regeneration: Adams, Dale, Smith and Kruckeberg, 160-170
see also Mount St. Helens
voles
and fruit orchards: Sullivan, Krebs and Kluge, 23-31
montane (*Microtus montanus*) and tillage: Johnson, 37-40

WARD, J. W. *see* Duncan, Ward and Anderson, 152-159
Washington
bald eagles: Fielder and Starkey, 226-232
birds: Manuwal, Huff, Bauer and Hegstad, 82-92
elk density: Houston, Moorhead and Olson, 220-225
elk habitat: McCorquodale, 171-173
grassland communities: Roché and Busacca, 139-147
harlequin ducks: Gaines, 213-215
stone nets: Cox and Allen, 179-185
tillage and rodents: Johnson, 37-40
WESTER, D. B. *see* Mosley, Wester and Bunting, 55-59

wildlife
nongame survey: Newton, Reese and Melquist, 50-54
and telemetry: Kufeld, Bowden and Siperek, 249-256
William L. Finley National Wildlife Refuge, Or
Oregon ash: Frenkel and Heinitz, 203-212
Wolffia sp
distribution: Kline and McCune, 41-43
WOODARD, P. M. and G. CUMMINS. Engelmann spruce, lodgepole pine and subalpine fir seed germination success on ashbed conditions. 233-238
Wyoming
age determination of glacial deposits: Mahaney, 13-19
cutthroat trout: Hubert, Baxter and Harrington, 32-36

Yellowstone Lake, Wyo
cutthroat trout age estimation: Hubert, Baxter and Harrington, 32-36

ZOBEL, D. B. and J. A. ANTOS. Survival of *Veratrum viride*, a robust herbaceous plant, when buried by volcanic tephra. 20-22